



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### **Guidelines and considerations for designing field experiments simulating precipitation extremes in forest ecosystems**

**Citation for published version:**

Asbjornsen, H, Campbell, JL, Jennings, KA, Vadeboncoeur, MA, McIntire, C, Templer, PH, Phillips, RP, Bauerle, TL, Dietze, MC, Frey, SD, Groffman, PM, Guerrieri, R, Hanson, PJ, Kelsey, EP, Knapp, AK, McDowell, NG, Meir, P, Novick, KA, Ollinger, SV, Pockman, WT, Schaberg, PG, Wullschlegel, SD, Smith, MD & Rustad, LE 2018, 'Guidelines and considerations for designing field experiments simulating precipitation extremes in forest ecosystems', *Methods in ecology and evolution*.  
<https://doi.org/10.1111/2041-210X.13094>

**Digital Object Identifier (DOI):**

[10.1111/2041-210X.13094](https://doi.org/10.1111/2041-210X.13094)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Methods in ecology and evolution

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Guidelines and considerations for designing field experiments simulating precipitation extremes in forest ecosystems

Asbjornsen *et al.*

## Supplemental Information

### S1. Methods for the literature review of forest precipitation manipulation experiments.

Building off of the list of precipitation change experiments from Rustad (2008) an online literature search was conducted between January and May of 2015 on the ISI Web of Science and Google Scholar using search terms including combinations of “throughfall displacement”, “throughfall exclusion”, “precipitation manipulation experiment”, “irrigation”, “forest” and “shrubland”. Additional studies were added that came to our attention before December 2016. Ecosystem type was classified based on site descriptions as “forest”, “savanna” or “shrubland”. In total we compiled 63 precipitation manipulation studies (additions, removals, or redistributions) at 70 sites (Table S1), including multi-treatment experiments (e.g., precipitation in combination with warming, etc.), occurring in forest ecosystems (including tall-statured shrublands, savannas, woodlands). For each study, we reviewed the precipitation manipulation project design and methods.

Of the 72 study sites, 69 were included in our methods analysis and reviewed for plot size, replication, buffer zone, trenching, infrastructure control and whether the treatment was “active” or “passive”. Three studies were excluded, Hoggwald (Lamersdorf *et al.* 1998) Harderwijk, and Kootwijk (de Visser *et al.* 1994), because they did not report sufficient detail on the experimental design. Statistical analyses calculated from the remaining studies were based on self-reporting (e.g., if a study didn’t include information on trenching or a buffer zone, it was assumed that these elements were not included in the experimental design). Plot size was reviewed for 68 of 69 studies, excluding one site (Leuk, Switzerland; (Richter *et al.* 2012)) which did not report plot dimensions.

We also evaluated the precipitation manipulation treatment for each study. Using information reported in the literature, the amount of precipitation excluded (or added) from treatment plots was calculated from changes in mean annual precipitation, changes from annual precipitation (i.e., change from control plots), reported percent exclusion (or addition), or from estimating the amount excluded (or added) from figures. A total of 55 study sites included enough information to estimate the amount of precipitation change. Long term precipitation and potential evapotranspiration (PET) time series from Climate Research Unit (CRU) TS3.22 high resolution gridded datasets (Harris *et al.* 2014) were downloaded for each site using the DroughtNet online precipitation tool: [http://shiny-smith.biology.colostate.edu/DroughtNet/WebApps/Temporal\\_App/](http://shiny-smith.biology.colostate.edu/DroughtNet/WebApps/Temporal_App/). From each time series, precipitation mean and percentiles (1<sup>st</sup> and 99<sup>th</sup>) were calculated and used to create the dryness index values (PET/P) for each site under control and treatment conditions. The final figure (Fig 2) includes data from 47 study sites. Additional sites were excluded due to 1) the CRU data was not available, 2) CRU data disagreed more than 30% from the reported mean annual precipitation for the site, or 3) the experiment was a temporal redistribution and did not alter dryness index at an annual time scale. At one site, Dinghushan, China (Chen *et al.* 2015), treatment dryness index value was set to the minimum value on our graph (0.1) as it was a full exclusion (no precipitation) experiment for at least an entire year.

**Table S2.** Treatment type, study names, locations, forest and manipulation types, and literature citations for the 70 precipitation manipulation experiments evaluated for this review.

Experiment Type	Site name	Study Location	Forest or Shrubland	Manipulation type	Publications
Additions	Barro Colorado Island	Panama, Panama	Forest	Addition	(Yavitt, Wright & Wieder 2004)  (Wieder & Wright 1995)
	Cascade mountains	Oregon, United States	Forest	Addition	(Ruehr, Martin & Law 2012)  (Ruehr <i>et al.</i> 2014)
	Hoglwald	Bavaria, Germany	Forest	Addition	(Lamersdorf <i>et al.</i> 1998)
	Pfynwald	Valais, Switzerland	Forest	Addition	(Brunner <i>et al.</i> 2009)
	Texas Agricultural Experiment Station La Copita Research Area	Texas, United States	Forest, Shrubland	Addition	(McCulley, Boutton & Archer 2007)
Removals	Ballyhooly Forest	Ireland, United Kingdom	Forest	Removal	(Ryan, O'Toole & Farrell 1998)
	Calabria	Calabria, Italy	Forest	Removal	(Cinnirella <i>et al.</i> 2002)
	Castellaneta	Taranto, Italy	Forest	Removal	(Borghetti <i>et al.</i> 1998)
	Caxiuanã National Forest	Pará, Brazil	Forest	Removal	(Fisher <i>et al.</i> 2007)  (da Costa <i>et al.</i> 2010)
	Daintree Drought Experiment	Queensland, Australia	Forest	Removal	(Laurance 2015)
	Golfo Dulce Forest Reserve	Puntarenas, Costa Rica	Forest	Removal	(Cleveland <i>et al.</i> 2010)
	Hainich	Thuringia, Germany	Forest	Removal	(Felsmann <i>et al.</i> 2015)  (Gimbel <i>et al.</i> 2015)  (Baudis <i>et al.</i> 2014)
	Harvard Forest	Massachusetts, USA	Forest	Removal	(Borken <i>et al.</i> 2006)
	KROOF	Bavaria, Germany	Forest	Removal	(Pretzsch <i>et al.</i> 2014)
	La Selva Biological Station	Heredia, Costa Rica	Forest	Removal	(Waring & Hawkes 2014)
	Languedoc–Roussillon gradient	Occitanie, France	Forest	Removal	(Martin-StPaul <i>et al.</i> 2013)  (Limousin <i>et al.</i> 2012)
	Laurentian Moutains	Quebec, Canada	Forest	Removal	(D'Orangeville <i>et al.</i> 2013)
	Prades Holm oak forest	Catalonia, Spain	Forest	Removal	(Barbeta, Ogaya & Peñuelas 2013)  (Ogaya <i>et al.</i> 2011)

	Puéchabon Experimental Forest	Languedoc-Roussillon, France	Forest	Removal	(Misson <i>et al.</i> 2011)
	Schorfheide - Chorin	Brandenburg, Germany	Forest	Removal	(Felsmann <i>et al.</i> 2015) (Gimbel <i>et al.</i> 2015) (Baudis <i>et al.</i> 2014)
	Schwabische Alb	Baden-Württemberg, Germany	Forest	Removal	(Felsmann <i>et al.</i> 2015) (Gimbel <i>et al.</i> 2015) (Baudis <i>et al.</i> 2014)
	Sulawesi cacao plantation	Central Sulawesi, Indonesia	Forest	Removal	(van Straaten <i>et al.</i> 2010) (Schwendenmann <i>et al.</i> 2010)
	Sulawesi throughfall exclusion experiment	Central Sulawesi, Indonesia	Forest	Removal	(Moser <i>et al.</i> 2014) (van Straaten, Veldkamp & Corre 2011)
	Tapajós National Forest	Pará, Brazil	Forest	Removal	(Nepstad 2002) (Nepstad <i>et al.</i> 2007)
	Turkey Point Flux station	Ontario, Canada	Forest	Removal	(Mackay <i>et al.</i> 2012)
	Wombat State Forest	Victoria, Australia	Forest	Removal	(Hinko-Najera <i>et al.</i> 2015)
<b>Multiple Treatments</b>	Asa Experiment	Kronoberg, Sweden	Forest	addition, fertilization	(Bergh <i>et al.</i> 1999)
	Australian Capital Territory	Australian Capital Territory, Australia	Forest	addition, fertilization	(Linder <i>et al.</i> 1987)
	Flakaliden Experiment	Västerbotten, Sweden	Forest	addition, fertilization	(Bergh <i>et al.</i> 1999)
	Harderwijk	Gelderland, Netherlands	Forest	addition, fertilization	(de Visser <i>et al.</i> 1994)
	Kootwijk	Gelderland, Netherlands	Forest	addition, fertilization	(de Visser <i>et al.</i> 1994)
	Monte Rondinaio	Emilia-Romagna, Italy	Shrubland	addition, fertilization	(Brancaleoni <i>et al.</i> 2007)
	Mt. Taylor Ranger District	New Mexico, United States	Forest	addition, fertilization	(Gower, Vogt & Grier 1992)
	Ståsan	Dalarna, Sweden	Forest	addition, fertilization	(Axelsson & Axelsson 1986)

	SWECON	Gävleborg, Sweden	Forest	addition, fertilization	(Linder 1987)
	Penn State University	Pennsylvania, United States	Forest	addition, heating	(Rollinson, Kaye & Leites 2012)
	Svalbard	Svalbard, Norway	Shrubland	addition, heating, fertilization	(Wookey <i>et al.</i> 1995)
	Abisko Scientific Research Center	Norrbottnen, Sweden	Shrubland	addition, heating, fertilization	(Press <i>et al.</i> 1998)
	Castanhal	Pará, Brazil	Forest	addition, litter removal	(Vasconcelos <i>et al.</i> 2008)
	Coulissenhieb II	Bavaria, Germany	Forest	Redistribution	(Gaul <i>et al.</i> 2008) (Muhr & Borken 2009)
	Texas WaRM Experiment	Texas, United States	Savana	redistribution, heating	(Volder, Tjoelker & Briske 2010)
	Dinghushan Biosphere Reserve	Gaungdong Province, China	Forest	removal, addition	Chen <i>et al.</i> (2015)(Chen <i>et al.</i> 2015)
	Fife	Scotland, United Kingdom	Forest	removal, addition	(Irvine <i>et al.</i> 1998)
	Glowa Jordan River Project	Lahav, Israel	Shrubland	removal, addition	(Sternberg <i>et al.</i> 2011)
	Glowa Jordan River Project	Mata, Israel	Shrubland	removal, addition	(Sternberg <i>et al.</i> 2011)
	Sevilleta LTER	New Mexico, United States	Forest	removal, addition	(Pangle <i>et al.</i> 2012) (Plaut <i>et al.</i> 2012) (Gaylord <i>et al.</i> 2013)
	Sierra Nevada National Park	Andalusia, Spain	Forest, Shrubland, grass	removal, addition	(Matías, Castro & Zamora 2011)
	Tolfa	Lazio, Italy	Forest	removal, addition	(Cotrufo <i>et al.</i> 2011)
	Walker Branch Watershed TDE	Tennessee, United States	Forest	removal, addition	(Hanson <i>et al.</i> 1998) (Wulschleger & Hanson 2006)
	Skogaby	Halland, Sweden	Forest	removal, addition	(Cienciala <i>et al.</i> 1994)
	Coto Nacional de	Castilla-La	Shrubland	removal,	(Parra <i>et al.</i> 2012)

	Quintos de Mora	Mancha, Spain		addition, burning	
	Solling	Hesse, Germany	Forest	removal, addition, chemical composition change	(Bredemeier <i>et al.</i> 1998)
	Klosterhede	Region of Southern Denmark, Denmark	Forest	removal, addition, fertilization	(Gundersen <i>et al.</i> 1998) (Beier <i>et al.</i> 1995)
	Leuk	Valais, Switzerland	Forest	removal, addition, heating	(Richter <i>et al.</i> 2012)
	Speuld	Gelderlan, Netherlands	Forest	removal, addition, nutrient removal	(Boxman <i>et al.</i> 1995)
	Ysselsteyn	Limburg, Netherlands	Forest	removal, addition, nutrient removal	(Boxman <i>et al.</i> 1995)
	Ecological- Botanical Garden, University of Bayreuth	Bavaria, Germany	Shrubland	removal, addition, redistribution	(Kreyling <i>et al.</i> 2008) (Jentsch <i>et al.</i> 2011)
	Garden Canyon, Fort Huachuca Military Reservation	Arizona, United States	Savana	removal, addition, redistribution	(Weltzin & McPherson 2000)
	Northern Great Basin Experimental Range	Oregon, Untied States	Shrubland	removal, addition, redistribution	(Bates <i>et al.</i> 2006) (Svejcar, Angell & Miller 1999)
	Itatinga Experimental Station	São Paulo, Brazil	Forest	removal, fertilization	(Christina <i>et al.</i> 2015) (Battie-Laclau <i>et al.</i> 2014)
	PINEMAP, FL	Florida, United States	Forest	removal, fertilization	(Will <i>et al.</i> 2015)
	PINEMAP, GA	Georgia, United States	Forest	removal, fertilization	(Will <i>et al.</i> 2015)
	PINEMAP, OK	Oklahoma, United States	Forest	removal, fertilization	(Will <i>et al.</i> 2015)
	PINEMAP, VA	Virginia, United States	Forest	removal, fertilization	(Will <i>et al.</i> 2015)
	Achenkirch	Tyrol, Austria	Forest	removal, heating	(Schindlbacher <i>et al.</i>

					2012)
	Capo Caccia	Sardinia, Italy	Shrubland	removal, heating	(De Dato <i>et al.</i> 2006)
	Clocaenog	Wales, United Kingdom	Shrubland	removal, heating	(Beier <i>et al.</i> 2004)
	Garraf	Catalonia, Spain	Shrubland	removal, heating	(Sardans, Peñuelas & Estiarte 2008)
	Kiskunság experimental site	Southern Great Plain, Hungary	Shrubland	removal, heating	(Lellei-Kovács <i>et al.</i> 2008)
	Mols	Central Denmark, Denmark	Shrubland	removal, heating	(Beier <i>et al.</i> 2004)
	Oldebroek	Gelderland, The Netherlands	Shrubland	removal, heating	(Beier <i>et al.</i> 2004)
	CLIMAITE	Capital Region of Denmark, Denmark	Shrubland	removal, heating, elevated CO <sub>2</sub>	(Mikkelsen <i>et al.</i> 2008)

**Table S3.** Response metrics for detecting the effects of precipitation manipulation experiments (PMEs) on microclimate, soils, and vegetation. Each variable is assigned one of the following categories: Tier 1: recommended as part of core measurements to be collected for all forest PMEs to facilitate cross-site standardized analyses; Tier 2: measurements that provide additional supporting data to enhance interpretation of PME response with relatively low additional cost and technical complexity and expertise; Tier 3: measurements that allow for more in depth assessment of responses to PMEs, but typically require greater additional cost and technical complexity and expertise.

Parameter & response variable(s)	Method description	Tier 1	Tier 2	Tier 3	References
<b>SITE AND MICROCLIMATE CHARACTERIZATION</b>					
Air temperature	Temperature sensors	X			(Diamond <i>et al.</i> 2013; Bell <i>et al.</i> 2013, 2015, <a href="https://www.ncdc.noaa.gov/crn/publications.html">https://www.ncdc.noaa.gov/crn/publications.html</a> ),
Relative humidity	Relative humidity sensors	X			
Solar radiation	Photosynthetically active radiation sensors		X		
Precipitation	Tipping buckets or precipitation gauge	X			
Soil temperature (multiple depths)	Thermometer (point)	X			N/A
	Sensors (continuous)		X		N/A
Soil moisture	Volumetric water content (point measurements)	X			N/A
	Volumetric water content (sensors, continuous)		X		N/A
	Soil water tension (tensiometers)		X		(Cassel & Klute 1986)
	Plant available water (soil water retention curves)			X	(Brady & Weil 2008)
	Relative extractable water		X		(Granier, Loustau & Bréda 2000)
Soil nutrients	Exchangeable cations		X		(Robertson <i>et al.</i> 1999a)
	Resin-available N and P		X		(Fisk <i>et al.</i> 2014)



Total soil organic C	Volumetric (kg m <sup>-2</sup> to a standard depth)		X		(Johnson <i>et al.</i> 2011; Rau <i>et al.</i> 2011)
<b>LEAF LEVEL RESPONSES</b>					
Gas exchange	Stomatal conductance (g <sub>s</sub> ) and photosynthesis (A)			X	(Long & Bernacchi 2003; Evans & Santiago 2014)
	Water use efficiency			X	(Anyia & Herzog 2004; Yan <i>et al.</i> 2011)Anyia and Herzog 2004, Chen <i>et al.</i> 2011
Water potential	Ψ <sub>pre-dawn</sub> , Ψ <sub>midday</sub> , Ψ <sub>daily</sub>		X		(Roman <i>et al.</i> 2015)
	Relative water content (Fresh Weight-Dry weight)/(Turgid weight-Dry weight)		X		(Smart & Bingham 1974)
	Water potential at 50% of the maximum stomatal conductance (P50)		X		(Klein 2014)
	Ψ <sub>turgor loss point</sub> (pressure-volume curves)			X	(Binks <i>et al.</i> 2016)
Photosynthetic capacity	CO <sub>2</sub> assimilation at the saturation light A <sub>sat</sub>			X	(Kositsup <i>et al.</i> 2010)
	J <sub>max</sub> , V <sub>cmax</sub> , A <sub>sat</sub> /R <sub>dark</sub>			X	(Domingues <i>et al.</i> 2010; van de Weg <i>et al.</i> 2012)
Photosynthetic apparatus	Chlorophyll and other pigments			X	(Hiscox & Israelstam 1979; Lichtenthaler 1987)
	Fluorescence			X	(Corcuera & Notivol 2015; Sperlich <i>et al.</i> 2016)
	Photochemical Reflectance Index (PRI)			X	(Gamon, Peñuelas & Field 1992)
	Photorespiration			X	(Busch 2013)
Functional traits	Specific leaf area		X		(Pérez-Harguindeguy <i>et al.</i> 2013)
	Stomatal density & size		X		(Hultine & Marshall 2001)
<b>WHOLE TREE LEVEL RESPONSES</b>					
Stem hydraulic conductivity	T/Ψ <sub>pd</sub> -Ψ <sub>mid</sub>			X	(Sperry, Donnelly & Tyree 1988; Wheeler <i>et al.</i> 2013)

Hydraulic failure/xylem embolism	Hydraulic vulnerability curve			X	(Trifilò <i>et al.</i> 2015)
Aboveground tree growth / C allocation	Stem diameter increment (dendrometers)	X			(Keeland & Sharitz 1993; Deslauriers, Rossi & Anfodillo 2007)
	Tree height	X			(Larjavaara & Muller-Landau 2013)
	Leaf area index	X			(Liu, Jin & Zhou 2016)
	Wood density		X		(Williamson & Wiemann 2010)
	Dendrochronology (tree rings)			X	(Grissino-Mayer 2003; Speer 2010)
	Non-structural carbohydrates			X	(Quentin <i>et al.</i> 2015)
Belowground tree growth / C allocation	Standing root biomass		X		(Park <i>et al.</i> 2007)
	Shallow fine root production (e.g. to 20cm, at annual or sub-annual resolution)	X			(Tierney & Fahey 2007; Milchunas 2009)
	Allocation to mycorrhizal fungi			X	(Ekblad <i>et al.</i> 2013)
Canopy die-back / tree mortality	Visual observations	X			(Schomaker <i>et al.</i> 2007)
	Leaf area/leaf area index	X			(Liu <i>et al.</i> 2016)
Water use efficiency	Stable isotopes in tree rings ( $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ ; $c_i/c_a$ )			X	(McCarroll & Loader 2004; Gessler <i>et al.</i> 2014)
Hydraulic system	Wood anatomy		X		(Hacke <i>et al.</i> 2001; Scholz <i>et al.</i> 2013)
	Hydraulic conductivity and embolism (P50)		X		(Cochard <i>et al.</i> 2013)
	Leaf area:sapwood area ratio			X	(Vertessy <i>et al.</i> 1995)
Transpiration	Sap flow		X		(Granier 1985; Burgess <i>et al.</i> 2001; Steppe <i>et al.</i> 2010)
Source of water uptake (effective rooting depth)	Stable isotopes of water in soil and plant stem tissue ( $\delta^{18}\text{O}$ - $\delta\text{H}$ )			X	(Dawson <i>et al.</i> 2002)
Canopy phenology	Bud break, shoot extension, flowering, senescence	X			(Denny <i>et al.</i> 2014; Elmendorf <i>et al.</i> 2016)

#### ECOSYSTEM SCALE RESPONSES

Productivity / carbon balance	Annual aboveground biomass	X			(Kloeppel, Harmon & Fahey 2007)
	Litterfall	X			(Kloeppel, Harmon & Fahey 2007)
	Soil respiration		X		(Davidson <i>et al.</i> 2002)
	Herbivory, foliar pathogens		X		(Coley 1983)
	Stem respiration			X	(Hilman & Angert 2016)
Water balance	Transpiration		X		(Ewers <i>et al.</i> 2008; Hernandez-Santana <i>et al.</i> 2015)
	Throughfall		X		(Levia & Frost 2006)
	Stemflow		X		(Levia & Frost 2003)
	Runoff / infiltration		X		(Gerrits & Savenije 2011)
Biogeochemical cycling	Litterfall (nutrient fluxes)			X	(See <i>et al.</i> 2015)
	Decomposition (nutrient fluxes)		X		(Bärlocher 2007; Keuskamp <i>et al.</i> 2013)
	Soil N mineralization (In-situ N mineralization (monthly))		X		(Hart <i>et al.</i> 1994; Robertson <i>et al.</i> 1999b)
	Soil microbial dynamics <ul style="list-style-type: none"> <li>- Biomass: chloroform fumigation, PLFA)</li> <li>- Community structure (High throughput sequencing)</li> </ul>			X X	(Vance, Brookes & Jenkinson 1987; Baldrian <i>et al.</i> 2013) (Fierer <i>et al.</i> 2012; Morrison <i>et al.</i> 2016)
	Foliar nutrient uptake			X	(Fahey & Birk 1991)
	Foliar nutrient retranslocation / absorption			X	(Fahey & Birk 1991)
	Leaching / runoff losses			X	(Abdulkareem, Abdulkadir & Abdu 2015)
Demography	Tree mortality	X			(Doughty <i>et al.</i> 2015)
	Seedling recruitment		X		(Lloret, Penuelas & Ogaya 2004; Matías,

					Zamora & Castro 2012)
Soil microbial dynamics	Biomass (chloroform fumigation, PLFA)			X	(Vance, Brookes & Jenkinson 1987; Baldrian <i>et al.</i> 2013)
	Community structure (High throughput sequencing)			X	(Fierer <i>et al.</i> 2012; Morrison <i>et al.</i> 2016)

## References

- Abdulkareem, J.H., Abdulkadir, A. & Abdu, N. (2015). A review of different types of lysimeter used in solute transport studies. *International Journal of Plant and Soil Science*, **8**, 1–14.
- Anyia, A.O. & Herzog, H. (2004). Water-use efficiency, leaf area and leaf gas exchange of cowpeas under mid-season drought. *European Journal of Agronomy*, **20**, 327–339.
- Axelsson, E. & Axelsson, B. (1986). Changes in carbon allocation patterns in spruce and pine trees following irrigation and fertilization. *Tree Physiology*, **2**, 189–204.
- Baldrian, P., Větrovský, T., Cajthaml, T., Dobiášová, P., Petránková, M., Šnajdr, J. & Eichlerová, I. (2013). Estimation of fungal biomass in forest litter and soil. *Fungal Ecology*, **6**, 1–11.
- Barbeta, A., Ogaya, R. & Peñuelas, J. (2013). Dampening effects of long-term experimental drought on growth and mortality rates of a Holm oak forest. *Global Change Biology*, **19**, 3133–3144.
- Bärlocher, F. (2007). Leaf mass loss estimated by litter bag technique. *Methods to Study Litter Decomposition: A Practical Guide* (eds M.A.S. Graça, F. Bärlocher & M.O. Gessner), pp. 37–42. Springer, Dordrecht.
- Bates, J.D., Svejcar, T., Miller, R.F. & Angell, R. a. (2006). The effects of precipitation timing on sagebrush steppe vegetation. *Journal of Arid Environments*, **64**, 670–697.
- Battie-Laclau, P., Laclau, J.P., Domec, J.C., Christina, M., Bouillet, J.P., de Cassia Piccolo, M., de Moraes Gonçalves, J.L., Moreira, R.M., Krusche, A.V., Bouvet, J.M. & Nouvellon, Y. (2014). Effects of potassium and sodium supply on drought-adaptive mechanisms in Eucalyptus grandis plantations. *New Phytologist*, **203**, 401–413.
- Baudis, M., Ellerbrock, R.H., Felsmann, K., Gessler, A., Gimbel, K., Kayler, Z., Puhlmann, H., Ulrich, A., Weiler, M., Welk, E. & Bruelheide, H. (2014). Intraspecific differences in responses to rainshelter-induced drought and competition of Fagus sylvatica L. across Germany. *Forest Ecology and Management*, **330**, 283–293.
- Beier, C., Emmett, B., Gundersen, P., Tietema, A., Peñuelas, J., Estiarte, M., Gordon, C., Gorissen, A., Llorens, L., Roda, F. & Williams, D. (2004). Novel Approaches to Study Climate Change Effects on Terrestrial Ecosystems in the Field: Drought and Passive Nighttime Warming. *Ecosystems*, **7**, 583–597.
- Beier, C., Gundersen, P., Hansen, K. & Rasmussen, L. (1995). Experimental manipulation of water and nutrient input to a Norway spruce plantation at Klosterhede, Denmark - II. Effects on tree growth and nutrition. *Plant and Soil*, **168–169**, 613–622.
- Bell, J.E., Leeper, R.D., Palecki, M.A., Coopersmith, E., Wilson, T., Bilotta, R. & Embler, S. (2015). Evaluation of the 2012 Drought with a Newly Established National Soil Monitoring Network. *Vadose Zone Journal*, **14**.
- Bell, J.E., Palecki, M.A., Baker, C.B., Collins, W.G., Lawrimore, J.H., Leeper, R.D., Hall, M.E., Kochendorfer, J., Meyers, T.P., Wilson, T. & Diamond, H.J. (2013). U.S. Climate Reference Network Soil Moisture and Temperature Observations. *Journal of Hydrometeorology*, **14**, 977–988.
- Bergh, J., Bergh, J., Linder, S., Linder, S., Lundmark, T., Lundmark, T., Elfving, B. & Elfving, B. (1999). The

- effect of water and nutrient availability on the productivity of Norway spruce in northern and southern Sweden. *Forest Ecology and Management*, **119**, 51–62.
- Binks, O., Meir, P., Rowland, L., da Costa, A.C.L., Vasconcelos, S.S., de Oliveira, A.A.R., Ferreira, L., Christoffersen, B., Nardini, A. & Mencuccini, M. (2016). Plasticity in leaf-level water relations of tropical rainforest trees in response to experimental drought. *New Phytologist*, **211**, 477–488.
- Borghetti, M., Cinnirella, S., Magnani, F. & Saracino, A. (1998). Impact of long-term drought on xylem embolism and growth in *Pinus halepensis* Mill. *Trees-Structure and Function*, **12**, 187–195.
- Borken, W., Davidson, E.A., Savage, K., Sundquist, E.T. & Steudler, P. (2006). Effect of summer throughfall exclusion, summer drought, and winter snow cover on methane fluxes in a temperate forest soil. *Soil Biology and Biochemistry*, **38**, 1388–1395.
- Boxman, A.W., van Dam, D., van Dijk, H.F.G., Hogervorst, R.F. & Koopmans, C.J. (1995). Ecosystem Responses To Reduced Nitrogen and Sulfur Inputs Into 2 Coniferous Forest Stands in the Netherlands. *Forest Ecology and Management*, **71**, 7–29.
- Brady, N.C. & Weil, R.T. (2008). *The Nature and Properties of Soils (14th Edition)*. Pearson.
- Brancaleoni, L., Gualmini, M., Tomaselli, M. & Gerdol, R. (2007). Responses of subalpine dwarf-shrub heath to irrigation and fertilization. *Journal of Vegetation Science*, **18**, 337.
- Bredemeier, M., Blanck, K., Dohrenhusch, A., Lamersdorf, N.P., Meyer, A.C., Murach, D., Parth, A. & Xu, Y.J. (1998). The Solling roof project - site characteristics, experiments and results. *Forest Ecology and Management*, **101**, 281–293.
- Brunner, I., Pannatier, E.G., Frey, B., Rigling, A., Landolt, W., Zimmermann, S. & Dobbertin, M. (2009). Morphological and physiological responses of Scots pine fine roots to water supply in a dry climatic region in Switzerland. *Tree Physiology*, **29**, 541–550.
- Burgess, S.S.O., Adams, M.A., Turner, N.C., Beverly, C.R., Ong, C.K., Khan, A.A. & Bleby, T.M. (2001). An improved heat pulse method to measure low and reverse rates of sap flow in woody plants. *Tree Physiology*, **21**, 589–598.
- Busch, F.A. (2013). Current methods for estimating the rate of photorespiration in leaves. *Plant Biology*.
- Cassel, D.K. & Klute, A. (1986). Water Potential : Tensiometry. *Methods of Soil Analysis, Part 1. Physical and Mineralogical Methods*, pp. 563–596. Soil Science Society of America, American Society of Agronomy.
- Chen, X., Zhang, D., Liang, G., Qiu, Q., Liu, J., Zhou, G., Liu, S., Chu, G. & Yan, J. (2015). Effects of precipitation on soil organic carbon fractions in three subtropical forests in southern China. *Journal of Plant Ecology*, **9**, 1–10.
- Christina, M., Maire, G. Le, Battie-Laclau, P., Nouvellon, Y., Bouillet, J.-P., Jourdan, C., de Moraes Gonçalves, J.L. & Laclau, J.-P. (2015). Measured and modeled interactive effects of potassium deficiency and water deficit on gross primary productivity and light use efficiency in *Eucalyptus grandis* plantations. *Global Change Biology*, **21**, 2022–2039.
- Cienciala, E., Lindroth, a, Cermak, J., Hallgren, J.E. & Kucera, J. (1994). The effects of water availability on transpiration, water potential and growth of *Picea abies* during a growing season. *Journal of Hydrology*, **155**, 57–71.

- Cinnirella, S., Magnani, F., Saracino, A. & Borghetti, M. (2002). Response of a mature *Pinus laricio* plantation to a three-year restriction of water supply: structural and functional acclimation to drought. *Tree Physiology*, **22**, 21–30.
- Cleveland, C.C., Wieder, W.R., Reed, S.C. & Townsend, A.R. (2010). Experimental drought in a tropical rain forest increases soil carbon dioxide losses to the atmosphere. *Ecology*, **91**, 2313–2323.
- Cochard, H., Badel, E., Herbette, S., Delzon, S., Choat, B. & Jansen, S. (2013). Methods for measuring plant vulnerability to cavitation: A critical review. *Journal of Experimental Botany*, **64**, 4779–4791.
- Coley, P.D. (1983). Herbivory and Defensive Characteristics of Tree Species in a Lowland Tropical Forest. *Ecological Monographs*, **53**, 209.
- Corcuera, L. & Notivol, E. (2015). Differences in photosynthetic activity might explain the large-scale shifts in pine recruitment in favour of oaks in continental Mediterranean climates. *Forestry*, **88**, 248–256.
- da Costa, A.C.L., Galbraith, D., Almeida, S., Portela, B.T.T., da Costa, M., de Athaydes Silva Junior, J., Braga, A.P., de Gonçalves, P.H.L., de Oliveira, A.A., Fisher, R., Phillips, O.L., Metcalfe, D.B., Levy, P. & Meir, P. (2010). Effect of 7 yr of experimental drought on vegetation dynamics and biomass storage of an eastern Amazonian rainforest. *New Phytologist*, **187**, 579–591.
- Cotrufo, M.F., Alberti, G., Inglima, I., Marjanović, H., LeCain, D., Zaldei, A., Peressotti, A. & Miglietta, F. (2011). Decreased summer drought affects plant productivity and soil carbon dynamics in a Mediterranean woodland. *Biogeosciences*, **8**, 2729–2739.
- D’Orangeville, L., Côté, B., Houle, D. & Morin, H. (2013). The effects of throughfall exclusion on xylogenesis of balsam fir. *Tree Physiology*, **33**, 516–526.
- De Dato, G., Pellizzaro, G., Cesaraccio, C., Sirca, C., De Angelis, P., Duce, P., Spano, D. & Scarascia Mugnozza, G. (2006). Effects of warmer and drier climate conditions on plant composition and biomass production in a Mediterranean shrubland community. *iForest - Biogeosciences and Forestry*, **3**, 511–526.
- Davidson, E.A., Savage, K., Verchot, L. V. & Navarro, R. (2002). Minimizing artifacts and biases in chamber-based measurements of soil respiration. *Agricultural and Forest Meteorology*, **113**, 21–37.
- Dawson, T.E., Mambelli, S., Plamboeck, A.H., Templer, P.H., Tu, K.P., Plamboeck, A.H., Templer, P.H. & Tu, K.P. (2002). Stable isotopes in plant ecology. *Annual Review of Ecology and Systematics*, **33**, 507–559.
- Denny, E.G., Gerst, K.L., Miller-Rushing, A.J., Tierney, G.L., Crimmins, T.M., Enquist, C.A.F., Guertin, P., Rosemartin, A.H., Schwartz, M.D., Thomas, K.A. & Weltzin, J.F. (2014). Standardized phenology monitoring methods to track plant and animal activity for science and resource management applications. *International Journal of Biometeorology*, **58**, 591–601.
- Deslauriers, A., Rossi, S. & Anfodillo, T. (2007). Dendrometer and intra-annual tree growth: What kind of information can be inferred? *Dendrochronologia*, **25**, 113–124.
- Diamond, H.J., Karl, T.R., Palecki, M.A., Baker, C.B., Bell, J.E., Leeper, R.D., Easterling, D.R., Lawrimore, J.H., Meyers, T.P., Helfert, M.R., Goodge, G. & Thorne, P.W. (2013). U.S. climate reference network after one decade of operations status and assessment. *Bulletin of the American Meteorological*

*Society*, **94**, 485–498.

- Domingues, T.F., Meir, P., Feldpausch, T.R., Saiz, G., Veenendaal, E.M., Schrod, F., Bird, M., Djagbletey, G., Hien, F., Compaore, H., Diallo, A., Grace, J. & Lloyd, J. (2010). Co-limitation of photosynthetic capacity by nitrogen and phosphorus in West Africa woodlands. *Plant, Cell and Environment*, **33**, 959–980.
- Doughty, C.E., Metcalfe, D.B., Girardin, C.A.J., Amézquita, F.F., Cabrera, D.G., Huasco, W.H., Silva-Espejo, J.E., Araujo-Murakami, A., da Costa, M.C., Rocha, W., Feldpausch, T.R., Mendoza, A.L.M., da Costa, A.C.L., Meir, P., Phillips, O.L. & Malhi, Y. (2015). Drought impact on forest carbon dynamics and fluxes in Amazonia. *Nature*, **519**, 78–82.
- Ekblad, A., Wallander, H., Godbold, D.L., Cruz, C., Johnson, D., Baldrian, P., Björk, R.G., Epron, D., Kieliszewska-Rokicka, B., Kjoller, R., Kraigher, H., Matzner, E., Neumann, J. & Plassard, C. (2013). The production and turnover of extramatrical mycelium of ectomycorrhizal fungi in forest soils: role in carbon cycling. *Plant and Soil*, **366**, 1–27.
- Elmendorf, S.C., Jones, K.D., Cook, B.I., Diez, J.M., Enquist, C.A.F., Hufft, R.A., Jones, M.O., Mazer, S.J., Miller-Rushing, A.J., Moore, D.J.P., Schwartz, M.D. & Weltzin, J.F. (2016). The plant phenology monitoring design for The National Ecological Observatory Network (E.-L. Hinckley, Ed.). *Ecosphere*, **7**, e01303.
- Evans, J.R. & Santiago, L.S. (2014). PrometheusWiki Gold Leaf Protocol: gas exchange using LI-COR 6400. *Functional Plant Biology*, **41**, 223.
- Ewers, B.E., Mackay, D.S., Tang, J., Bolstad, P.V. & Samanta, S. (2008). Intercomparison of sugar maple (*Acer saccharum* Marsh.) stand transpiration responses to environmental conditions from the Western Great Lakes Region of the United States. *Agricultural and Forest Meteorology*, **148**, 231–246.
- Fahey, T.J. & Birk, E. (1991). Internal redistribution and resorption. *Techniques and approaches in forest tree ecophysiology* (eds J.P. Lassoie & T.M. Hinckley), pp. 225–245. CRC Press Inc. Boca Raton, FL.
- Felsmann, K., Baudis, M., Gimbel, K., Kayler, Z.E., Ellerbrock, R., Bruehlheide, H., Bruckhoff, J., Welk, E., Puhlmann, H., Weiler, M., Gessler, A. & Ulrich, A. (2015). Soil Bacterial Community Structure Responses to Precipitation Reduction and Forest Management in Forest Ecosystems across Germany. *PLOS One*, **10**, e0122539.
- Fierer, N., Lauber, C.L., Ramirez, K.S., Zaneveld, J., Bradford, M.A. & Knight, R. (2012). Comparative metagenomic, phylogenetic and physiological analyses of soil microbial communities across nitrogen gradients. *The ISME Journal*, **6**, 1007–1017.
- Fisher, R.A., Williams, M., da Costa, A.L., Malhi, Y., da Costa, R.F., Almeida, S. & Meir, P. (2007). The response of an Eastern Amazonian rain forest to drought stress: Results and modelling analyses from a throughfall exclusion experiment. *Global Change Biology*, **13**, 2361–2378.
- Fisk, M.C., Ratliff, T.J., Goswami, S. & Yanai, R.D. (2014). Synergistic soil response to nitrogen plus phosphorus fertilization in hardwood forests. *Biogeochemistry*, **118**, 195–204.
- Gamon, J.A., Peñuelas, J. & Field, C.B. (1992). A narrow-waveband spectral index that tracks diurnal changes in photosynthetic efficiency. *Remote Sensing of Environment*, **41**, 35–44.
- Gaul, D., Hertel, D., Borken, W., Matzner, E. & Leuschner, C. (2008). Effects of experimental drought on



- the fine root system of mature Norway spruce. *Forest Ecology and Management*, **256**, 1151–1159.
- Gaylord, M.L., Kolb, T.E., Pockman, W.T., Plaut, J. a, Yepez, E. a, Macalady, A.K., Pangle, R.E. & McDowell, N.G. (2013). Drought predisposes pinon– juniper woodlands to insect attacks and mortality. *New Phytologist*, **198**, 567–578.
- Gerrits, A.M.J. & Savenije, H.H.G. (2011). Forest floor interception. *Forest Hydrology and Biogeochemistry: Synthesis of Past Research and Future Directions* (eds D.F. Levia, D. Carlyle-Moses & T. Tanaka), pp. 445–454. Dordrecht.
- Gessler, A., Ferrio, J.P., Hommel, R., Treydte, K., Werner, R.A. & Monson, R.K. (2014). Stable isotopes in tree rings: towards a mechanistic understanding of isotope fractionation and mixing processes from the leaves to the wood. *Tree Physiology*, **34**, 796–818.
- Gimbel, K.F., Felsmann, K., Baudis, M., Puhlmann, H., Gessler, A., Bruelheide, H., Kayler, Z., Ellerbrock, R.H., Ulrich, A., Welk, E. & Weiler, M. (2015). Drought in forest understory ecosystems – a novel rainfall reduction experiment. *Biogeosciences*, **12**, 961–975.
- Gower, S.T., Vogt, K. a & Grier, C.C. (1992). Carbon dynamics of Rocky Mountain Douglas-Fir: Influence of water and nutrient availability. *Ecological Monographs*, **62**, 43–65.
- Granier, A. (1985). Une nouvelle m{é}thode pour la mesure du flux de s{è}ve brute dans le tronc des arbres. *Annals of Forest Science*, **42**, 193–200.
- Granier, A., Loustau, D. & Bréda, N. (2000). A generic model of forest canopy conductance dependent on climate, soil water availability and leaf area index. *Annals of Forest Science*, **57**, 755–765.
- Grissino-Mayer, H.D. (2003). A manual and tutorial for the proper use of an increment borer. *Tree-Ring Research*. **59**, 63-79.
- Gundersen, P., Emmett, B.A., Kjonaas, O.J., Koopmans, C.J. & Tietema, A. (1998). Impact of nitrogen deposition on nitrogen cycling in forests: a synthesis of NITREX data. *Forest Ecology and Management*, **101**, 37–55.
- Hacke, U.G., Sperry, J.S., Pockman, W.T., Davis, S.D. & McCulloh, K.A. (2001). Trends in wood density and structure are linked to prevention of xylem implosion by negative pressure. *Oecologia*, **126**, 457–461.
- Hanson, P.J., Todd, D.E., Huston, M.A., Joslin, J.D., Croker, J.L. & Auge, R.M. (1998). *Description and field performance of the Walker Branch throughfall displacement experiment: 1993--1996*. Oak Ridge, TN.
- Harris, I., Jones, P.D., Osborn, T.J. & Lister, D.H. (2014). Updated high-resolution grids of monthly climatic observations - the CRU TS3.10 Dataset. *International Journal of Climatology*, **34**, 623–642.
- Hart, S.C., Stark, J.M., Davidson, E.A. & Firestone, M.K. (1994). Nitrogen mineralization, immobilization, and nitrification. *Methods of Soil Analysis - Part 2. Microbiological and biochemical properties*, pp. 985–1018. Soil Science Society of America, Madison, WI.
- Hernandez-Santana, V., Hernandez-Hernandez, A., Vadeboncoeur, M.A. & Asbjornsen, H. (2015). Scaling from single-point sap velocity measurements to stand transpiration in a multispecies deciduous forest: uncertainty sources, stand structure effect, and future scenarios. *Canadian Journal of Forest Research*, **45**, 1489–1497.

- Hilman, B. & Angert, A. (2016). Measuring the ratio of CO<sub>2</sub> efflux to O<sub>2</sub> influx in tree stem respiration (M. Ryan, Ed.). *Tree Physiology*, **3**, tpw057.
- Hinko-Najera, N., Fest, B., Livesley, S.J. & Arndt, S.K. (2015). Reduced throughfall decreases autotrophic respiration, but not heterotrophic respiration in a dry temperate broadleaved evergreen forest. *Agricultural and Forest Meteorology*, **200**, 66–77.
- Hiscox, J.D. & Israelstam, G.F. (1979). A method for the extraction of chlorophyll from leaf tissue without maceration. *Canadian Journal of Botany*, **57**, 1332–1334.
- Hultine, K.R. & Marshall, J.D. (2001). A comparison of three methods for determining the stomatal density of pine needles. *Journal of Experimental Botany*, **52**, 369–373.
- Irvine, J., Perks, M.P., Magnani, F. & Grace, J. (1998). The response of *Pinus sylvestris* to drought: stomatal control of transpiration and hydraulic conductance. *Tree Physiology*, **18**, 393–402.
- Jentsch, A., Kreyling, J., Elmer, M., Gellesch, E., Glaser, B., Grant, K., Hein, R., Lara, M., Mirzae, H., Nadler, S.E., Nagy, L., Otieno, D., Pritsch, K., Rascher, U., Schädler, M., Schlöter, M., Singh, B.K., Stadler, J., Walter, J., Wellstein, C., Wöllecke, J. & Beierkuhnlein, C. (2011). Climate extremes initiate ecosystem-regulating functions while maintaining productivity. *Journal of Ecology*, **99**, 689–702.
- Johnson, D.W., Murphy, J.D., Rau, B.M. & Miller, W.W. (2011). Subsurface carbon contents: Some case studies in forest soils. *Forest Science*, **57**, 3–10.
- Keeland, B.D. & Sharitz, R.R. (1993). Accuracy of tree growth measurements using dendrometer bands. *Canadian Journal of Forest Research*, **23**, 2454–2457.
- Keuskamp, J.A., Dingemans, B.J.J., Lehtinen, T., Sarneel, J.M. & Hefting, M.M. (2013). Tea Bag Index: A novel approach to collect uniform decomposition data across ecosystems. *Methods in Ecology and Evolution*, **4**, 1070–1075.
- Klein, T. (2014). The variability of stomatal sensitivity to leaf water potential across tree species indicates a continuum between isohydric and anisohydric behaviours. *Functional Ecology*, **28**, 1313–1320.
- Kloeppel, B.D., Harmon, M.E. & Fahey, T.J. (2007). Estimating Aboveground Net Primary Productivity in Forest-Dominated Ecosystems. *Principles and Standards for Measuring Primary Production*.
- Kositsup, B., Kasemsap, P., Thanisawanyangkura, S., Chairungsee, N., Satakhun, D., Teerawatanasuk, K., Ameglio, T. & Thaler, P. (2010). Effect of leaf age and position on light-saturated CO<sub>2</sub> assimilation rate, photosynthetic capacity, and stomatal conductance in rubber trees. *Photosynthetica*, **48**, 67–78.
- Kreyling, J., Wenigmann, M., Beierkuhnlein, C. & Jentsch, A. (2008). Effects of extreme weather events on plant productivity and tissue die-back are modified by community composition. *Ecosystems*, **11**, 752–763.
- Lamersdorf, N.P., Beier, C., Blanck, K., Bredemeier, M., Cummins, T., Farrell, E.P., Kreutzer, K., Rasmussen, L., Ryan, M., Weis, W. & Xu, Y.J. (1998). Effect of drought experiments using roof installations on acidification/nitrification of soils. *Forest Ecology and Management*, **101**, 95–109.
- Larjavaara, M. & Muller-Landau, H.C. (2013). Measuring tree height: A quantitative comparison of two common field methods in a moist tropical forest. *Methods in Ecology and Evolution*, **4**, 793–801.
- Laurance, S. (2015). A raincoat for a rainforest. *Australasian Science*, **36**, 20–22.

- Lellei-Kovács, E., Kovács-Láng, E., Kalapos, T., Botta-Dukát, Z., Barabás, S. & Beier, C. (2008). Experimental warming does not enhance soil respiration in a semiarid temperate forest-steppe ecosystem. *Community Ecology*, **9**, 29–37.
- Levia, D.F. & Frost, E.E. (2003). A review and evaluation of stemflow literature in the hydrologic and biogeochemical cycles of forested and agricultural ecosystems. *Journal of Hydrology*, **274**, 1–29.
- Levia, D.F. & Frost, E.E. (2006). Variability of throughfall volume and solute inputs in wooded ecosystems. *Progress in Physical Geography*, **30**, 605–632.
- Lichtenthaler, H.K. (1987). [34] Chlorophylls and carotenoids: Pigments of photosynthetic biomembranes. *Methods in Enzymology*, **148**, 350–382.
- Limousin, J.-M., Rambal, S., Ourcival, J.-M., Rodríguez-Calcerrada, J., Pérez-Ramos, I.M., Rodríguez-Cortina, R., Misson, L. & Joffre, R. (2012). Morphological and phenological shoot plasticity in a Mediterranean evergreen oak facing long-term increased drought. *Oecologia*, **169**, 565–577.
- Linder, S. (1987). Responses to water and nutrients in coniferous ecosystems. *Potentials and limitations of ecosystem analysis*, pp. 180–202. Springer.
- Linder, S., Benson, M.L., Myers, B.J. & Raison, R.J. (1987). Canopy Dynamics and Growth of Pinus-Radiata .1. Effects of Irrigation and Fertilization during a Drought. *Canadian Journal of Forest Research- Revue Canadienne De Recherche Forestiere*, **17**, 1157–1165.
- Liu, Z., Jin, G. & Zhou, M. (2016). Evaluation and correction of optically derived leaf area index in different temperate forests. *IForest*, **9**, 55–62.
- Lloret, F., Penuelas, J. & Ogaya, R. (2004). Establishment of co-existing Mediterranean tree species under a varying soil moisture regime. *Journal of Vegetation Science*, **15**, 237–244.
- Long, S.P. & Bernacchi, C.J. (2003). Gas exchange measurements, what can they tell us about the underlying limitations to photosynthesis? Procedures and sources of error. *Journal of Experimental Botany*, **54**, 2393–2401.
- Mackay, S.L., Arain, M.A., Khomik, M., Brodeur, J.J., Schumacher, J., Hartmann, H. & Peichl, M. (2012). The impact of induced drought on transpiration and growth in a temperate pine plantation forest. *Hydrological Processes*, **26**, 1779–1791.
- Martin-StPaul, N.K., Limousin, J.-M., Vogt-Schilb, H., Rodríguez-Calcerrada, J., Rambal, S., Longepierre, D. & Misson, L. (2013). The temporal response to drought in a Mediterranean evergreen tree: comparing a regional precipitation gradient and a throughfall exclusion experiment. *Global Change Biology*, **19**, 2413–2426.
- Matías, L., Castro, J. & Zamora, R. (2011). Soil-nutrient availability under a global-change scenario in a Mediterranean mountain ecosystem. *Global Change Biology*, **17**, 1646–1657.
- Matías, L., Zamora, R. & Castro, J. (2012). Sporadic rainy events are more critical than increasing of drought intensity for woody species recruitment in a Mediterranean community. *Oecologia*, **169**, 833–844.
- McCarroll, D. & Loader, N.J. (2004). Stable isotopes in tree rings. *Quaternary Science Reviews*, **23**, 771–801.
- McCulley, R.L., Boutton, T.W. & Archer, S.R. (2007). Soil Respiration in a Subtropical Savanna Parkland:

Response to Water Additions. *Soil Science Society of America Journal*, **71**, 820.

- Mikkelsen, T.N., Beier, C., Jonasson, S., Holmstrup, M., Schmidt, I.K., Ambus, P., Pilegaard, K., Michelsen, A., Albert, K., Andresen, L.C., Arndal, M.F., Bruun, N., Christensen, S., Danbæk, S., Gundersen, P., Jørgensen, P., Linden, L.G., Kongstad, J., Maraldo, K., Priemé, A., Riis-Nielsen, T., Ro-Poulsen, H., Stevnbak, K., Selsted, M.B., Sørensen, P., Larsen, K.S., Carter, M.S., Ibrom, A., Martinussen, T., Miglietta, F. & Sverdrup, H. (2008). Experimental design of multifactor climate change experiments with elevated CO<sub>2</sub>, warming and drought: The CLIMAITE project. *Functional Ecology*, **22**, 185–195.
- Milchunas, D.G. (2009). Estimating root production: Comparison of 11 methods in shortgrass steppe and review of biases. *Ecosystems*, **12**, 1381–1402.
- Misson, L., Degueldre, D., Collin, C., Rodriguez, R., Rocheteau, A., Ourcival, J.M. & Rambal, S. (2011). Phenological responses to extreme droughts in a Mediterranean forest. *Global Change Biology*, **17**, 1036–1048.
- Morrison, E.W., Frey, S.D., Sadowsky, J.J., van Diepen, L.T.A., Thomas, W.K. & Pringle, A. (2016). Chronic nitrogen additions fundamentally restructure the soil fungal community in a temperate forest. *Fungal Ecology*, **23**, 48–57.
- Moser, G., Schuldt, B., Hertel, D., Horna, V., Coners, H., Barus, H. & Leuschner, C. (2014). Replicated throughfall exclusion experiment in an Indonesian perhumid rainforest: wood production, litter fall and fine root growth under simulated drought. *Global Change Biology*, **20**, 1481–1497.
- Muhr, J. & Borken, W. (2009). Delayed recovery of soil respiration after wetting of dry soil further reduces C losses from a Norway spruce forest soil. *Journal of Geophysical Research: Biogeosciences*, **114**, G04023.
- Nepstad, D.C. (2002). The effects of partial throughfall exclusion on canopy processes, aboveground production, and biogeochemistry of an Amazon forest. *Journal of Geophysical Research*, **107**, 8085.
- Nepstad, D.C., Tohlver, I., Ray, D., Moutinho, P. & Cardinot, G. (2007). Mortality of Large Trees and Lianas following Experimental Drought in an Amazon Forest. *Ecology*, **88**, 2259–2269.
- Ogaya, R., Peñuelas, J., Asensio, D. & Llusià, J. (2011). Chlorophyll fluorescence responses to temperature and water availability in two co-dominant Mediterranean shrub and tree species in a long-term field experiment simulating climate change. *Environmental and Experimental Botany*, **73**, 89–93.
- Pangle, R.E., Hill, J.P., Plaut, J.A., Yopez, E.A., Elliot, J.R., Gehres, N., Mcdowell, N.G. & Pockman, W.T. (2012). Methodology and performance of a rainfall manipulation experiment in a piñon–juniper woodland. *Ecosphere*, **3**, 1–20.
- Park, B.B., Yanai, R.D., Vadeboncoeur, M.A. & Hamburg, S.P. (2007). Estimating Root Biomass in Rocky Soils using Pits, Cores, and Allometric Equations. *Soil Science Society of America Journal*, **71**, 206.
- Parra, A., Ramírez, D. a., Resco, V., Velasco, Á. & Moreno, J.M. (2012). Modifying rainfall patterns in a Mediterranean shrubland: System design, plant responses, and experimental burning. *International Journal of Biometeorology*, **56**, 1033–1043.
- Pérez-Harguindeguy, N., Díaz, S., Garnier, E., Lavorel, S., Poorter, H., Jaureguiberry, P., Bret-Harte, M.S., Cornwell, W.K., Craine, J.M., Gurvich, D.E., Urcelay, C., Veneklaas, E.J., Reich, P.B., Poorter, L., Wright, I.J., Ray, P., Enrico, L., Pausas, J.G., de Vos, A.C., Buchmann, N., Funes, G., Quétier, F.,

- Hodgson, J.G., Thompson, K., Morgan, H.D., ter Steege, H., Sack, L., Blonder, B., Poschlod, P., Vaieretti, M. V., Conti, G., Staver, A.C., Aquino, S. & Cornelissen, J.H.C. (2013). New handbook for standardised measurement of plant functional traits worldwide. *Australian Journal of Botany*, **61**, 167.
- Plaut, J.A., Yopez, E.A., Hill, J., Pangle, R., Sperry, J.S., Pockman, W.T. & McDowell, N.G. (2012). Hydraulic limits preceding mortality in a piñon–juniper woodland under experimental drought. *Plant, Cell and Environment*, **35**, 1601–1617.
- Press, M.C., Potter, J. a., Burke, M.J.W., Callaghan, T. V. & Lee, J. a. (1998). Responses of a subarctic dwarf shrub heath community to simulated environmental change. *Journal of Ecology*, **86**, 315–327.
- Pretzsch, H., Rötzer, T., Matyssek, R., Grams, T.E.E., Häberle, K.-H., Pritsch, K., Kerner, R. & Munch, J.-C. (2014). Mixed Norway spruce (*Picea abies* [L.] Karst) and European beech (*Fagus sylvatica* [L.]) stands under drought: from reaction pattern to mechanism. *Trees*, **28**, 1305–1321.
- Pretzsch, H. & Schütze, G. (2016). Effect of tree species mixing on the size structure, density, and yield of forest stands. *European Journal of Forest Research*, **135**, 1–22.
- Quentin, A.G., Pinkard, E.A., Ryan, M.G., Tissue, D.T., Baggett, L.S., Adams, H.D., Maillard, P., Marchand, J., Landhäusser, S.M., Lacoite, A., Gibon, Y., Anderegg, W.R.L., Asao, S., Atkin, O.K., Bonhomme, M., Claye, C., Chow, P.S., Clément-Vidal, A., Davies, N.W., Dickman, L.T., Dumbur, R., Ellsworth, D.S., Falk, K., Galiano, L., Grünzweig, J.M., Hartmann, H., Hoch, G., Hood, S., Jones, J.E., Koike, T., Kuhlmann, I., Lloret, F., Maestro, M., Mansfield, S.D., Martínez-Vilalta, J., Maucourt, M., McDowell, N.G., Moing, A., Muller, B., Nebauer, S.G., Niinemets, Ü., Palacio, S., Piper, F., Raveh, E., Richter, A., Rolland, G., Rosas, T., Joanis, B. Saint, Sala, A., Smith, R.A., Sterck, F., Stinziano, J.R., Tobias, M., Unda, F., Watanabe, M., Way, D.A., Weerasinghe, L.K., Wild, B., Wiley, E. & Woodruff, D.R. (2015). Non-structural carbohydrates in woody plants compared among laboratories. *Tree Physiology*, **35**, 1146–1165.
- Rau, B.M., Melvin, A.M., Johnson, D.W., Goodale, C.L., Blank, R.R., Fredriksen, G., Miller, W.W., Murphy, J.D., Todd, D.E. & Walker, R.F. (2011). Revisiting Soil Carbon and Nitrogen Sampling: Quantitative pits versus rotary cores. *Soil Science*, **176**, 273–279.
- Richter, S., Kipfer, T., Wohlgemuth, T., Calderón Guerrero, C., Ghazoul, J. & Moser, B. (2012). Phenotypic plasticity facilitates resistance to climate change in a highly variable environment. *Oecologia*, **169**, 269–279.
- Robertson, G., Sollins, P., Boyd, G.E. & Lajtha, K. (1999a). Exchangeable ions, pH, and cation exchange capacity. *Standard soil methods for long-term ecological research*. Oxford University Press, New York.
- Robertson, G.P., Wedin, D., Groffman, P.M., Blair, J.M., Holland, E.A., Nedelhoffer, K.J. & Harris, D. (1999b). Soil carbon and nitrogen availability. Nitrogen mineralization, nitrification and soil respiration potentials. *Standard soil methods for long-term ecological research*. Oxford University Press, New York.
- Rollinson, C.H.R., Kaye, M.W. & Leites, L.P. (2012). Community assembly responses to warming and increased precipitation in an early successional forest. *Ecosphere*, **3**, 1–17.

- Roman, D.T., Novick, K.A., Brzostek, E.R., Dragoni, D., Rahman, F. & Phillips, R.P. (2015). The role of isohydric and anisohydric species in determining ecosystem-scale response to severe drought. *Oecologia*, **179**, 641–654.
- Ruehr, N.K., Law, B.E., Quandt, D. & Williams, M. (2014). Effects of heat and drought on carbon and water dynamics in a regenerating semi-arid pine forest: a combined experimental and modeling approach. *Biogeosciences*, **11**, 4139–4156.
- Ruehr, N.K., Martin, J.G. & Law, B.E. (2012). Effects of water availability on carbon and water exchange in a young ponderosa pine forest: Above- and belowground responses. *Agricultural and Forest Meteorology*, **164**, 136–148.
- Rustad, L.E. (2008). The response of terrestrial ecosystems to global climate change: towards an integrated approach. *The Science of the Total Environment*, **404**, 222–35.
- Ryan, M.G., O'Toole, P. & Farrell, E.P. (1998). The influence of drought and natural rewetting on nitrogen dynamics in a coniferous ecosystem in Ireland. *Environmental Pollution*, **102**, 445–451.
- Sardans, J., Peñuelas, J. & Estiarte, M. (2008). Warming and drought change trace element bioaccumulation patterns in a Mediterranean shrubland. *Chemosphere*, **70**, 874–885.
- Schindlbacher, A., Wunderlich, S., Borken, W., Kitzler, B., Zechmeister-Boltenstern, S. & Jandl, R. (2012). Soil respiration under climate change: Prolonged summer drought offsets soil warming effects. *Global Change Biology*, **18**, 2270–2279.
- Scholz, A., Klepsch, M., Karimi, Z. & Jansen, S. (2013). How to quantify conduits in wood? *Frontiers in Plant Science*, **4**, 56.
- Schomaker, M.E., Zarnoch, S.J., Bechtold, W.A., Latelle, D.J., Burkman, W.G. & Cox, S.M. (2007). Crown-Condition Classification : A Guide to Data Collection and Analysis. *Crown-condition Classification: A Guide to Data Collection and Analysis*.
- Schwendenmann, L., Veldkamp, E., Moser, G., Hölscher, D., Köhler, M., Clough, Y., Anas, I., Djajakirana, G., Erasmí, S., Hertel, D., Leitner, D., Leuschner, C., Michalzik, B., Propastin, P., Tjoa, A., Tschardtke, T. & van Straaten, O. (2010). Effects of an experimental drought on the functioning of a cacao agroforestry system, Sulawesi, Indonesia. *Global Change Biology*, **16**, 1515–1530.
- See, C.R., Yanai, R.D., Fisk, M.C., Vadeboncoeur, M.A., Quintero, B.A. & Fahey, T.J. (2015). Soil nitrogen affects phosphorus recycling: foliar resorption and plant–soil feedbacks in a northern hardwood forest. *Ecology*, **96**, 2488–2498.
- Smart, R.E. & Bingham, G.E. (1974). Rapid Estimates of Relative Water Content. *Plant Physiology*, **53**, 258–260.
- Speer, J.H. (2010). *Fundamentals of tree ring research*.
- Sperlich, D., Barbeta, A., Ogaya, R., Sabat??, S. & Pe??uelas, J. (2016). Balance between carbon gain and loss under long-term drought: Impacts on foliar respiration and photosynthesis in *Quercus ilex* L. *Journal of Experimental Botany*, **67**, 821–833.
- Sperry, J.S., Donnelly, J.R. & Tyree, M.T. (1988). A method for measuring hydraulic conductivity and embolism in xylem. *Plant, Cell and Environment*, **11**, 35–40.
- Steppe, K., De Pauw, D.J.W., Doody, T.M. & Teskey, R.O. (2010). A comparison of sap flux density using

- thermal dissipation, heat pulse velocity and heat field deformation methods. *Agricultural and Forest Meteorology*, **150**, 1046–1056.
- Sternberg, M., Holzapfel, C., Tielbörger, K., Sarah, P., Kigel, J., Lavee, H., Fleischer, A., Jeltsch, F. & Köchy, M. (2011). The Use and Misuse of Climatic Gradients for Evaluating Climate Impact on Dryland Ecosystems - an Example for the Solution of Conceptual Problems. *Climate Change – Geophysical Foundations and Ecological Effects*, 361–374.
- van Straaten, O., Veldkamp, E. & Corre, M.D. (2011). Simulated drought reduces soil CO<sub>2</sub> efflux and production in a tropical forest in Sulawesi, Indonesia. *Ecosphere*, **2**, art119.
- van Straaten, O., Veldkamp, E., Koehler, M. & Anas, I. (2010). Spatial and temporal effects of drought on soil CO<sub>2</sub> efflux in a cacao agroforestry system in Sulawesi, Indonesia. *Biogeosciences*, **7**, 1223–1235.
- Svejcar, T., Angell, R. & Miller, R. (1999). Fixed location rain shelters for studying precipitation effects on rangelands. *Journal of Arid Environments*, **42**, 187–193.
- Tierney, G.L. & Fahey, T.J. (2007). Estimating belowground primary productivity. *Principles and standards for measuring primary production*. Oxford University Press, New York.
- Trifilò, P., Nardini, A., Gullo, M.A. Lo, Barbera, P.M., Savi, T. & Raimondo, F. (2015). Diurnal changes in embolism rate in nine dry forest trees: Relationships with species-specific xylem vulnerability, hydraulic strategy and wood traits. *Tree Physiology*, **35**, 694–705.
- Vance, E.D., Brookes, P.C. & Jenkinson, D.S. (1987). An extraction method for measuring soil microbial biomass C. *Soil Biology and Biochemistry*, **19**, 703–707.
- Vasconcelos, S.S., Zarin, D.J., Araújo, M.M., Rangel-Vasconcelos, L.G.T., de Carvalho, C.J.R., Staudhammer, C.L. & Oliveira, F.D.A. (2008). Effects of seasonality, litter removal and dry-season irrigation on litterfall quantity and quality in eastern Amazonian forest regrowth, Brazil. *Journal of Tropical Ecology*, **24**, 27–38.
- Vertessy, R. a, Benyon, R.G., O’Sullivan, S.K. & Gribben, P.R. (1995). Relationships between stem diameter, sapwood area, leaf area and transpiration in a young mountain ash forest. *Tree Physiology*, **15**, 559–67.
- de Visser, P.H.B., Beier, C., Rasmussen, L., Kreutzer, K., Steinberg, N., Bredemeier, M., Blanck, K., Farrell, E.P. & Cummins, T. (1994). Biological response of five forest ecosystems in the EXMAN project to input changes of water, nutrients and atmospheric loads. *Forest Ecology and Management*, **68**, 15–29.
- Volder, A., Tjoelker, M.G. & Briske, D.D. (2010). Contrasting physiological responsiveness of establishing trees and a C4 grass to rainfall events, intensified summer drought, and warming in oak savanna. *Global Change Biology*, **16**, 3349–3362.
- Ward, E.J., Domec, J.-C., Laviner, M.A., Fox, T.R., Sun, G., McNulty, S. & King, J. (2015). Fertilization intensifies drought stress: Water use and stomatal conductance of Pinus taeda in a midrotation fertilization and throughfall reduction experiment. *Forest Ecology and Management*, **355**, 72–82.
- Waring, B.G. & Hawkes, C. V. (2014). Short-Term Precipitation Exclusion Alters Microbial Responses to Soil Moisture in a Wet Tropical Forest. *Microbial Ecology*, 843–854.
- van de Weg, M.J., Meir, P., Grace, J. & Ramos, G.D. (2012). Photosynthetic parameters, dark respiration

- and leaf traits in the canopy of a Peruvian tropical montane cloud forest. *Oecologia*, **168**, 23–34.
- Weltzin, J.F. & McPherson, G.R. (2000). Implications of Precipitation Redistribution for Shifts in Temperate Savanna Ecotones. *Ecology*, **81**, 1902–1913.
- Wheeler, J.K., Huggett, B.A., Tofte, A.N., Rockwell, F.E. & Holbrook, N.M. (2013). Cutting xylem under tension or supersaturated with gas can generate PLC and the appearance of rapid recovery from embolism. *Plant, Cell and Environment*, **36**, 1938–1949.
- Wieder, R.K. & Wright, S.J. (1995). Tropical Forest Litter Dynamics and Dry Season Irrigation on Barro Colorado Island, Panama. *Ecology*, **76**, 1971–1979.
- Will, R.E., Fox, T., Akers, M., Domec, J.C., González-Benecke, C., Jokela, E.J., Kane, M., Laviner, M.A., Lokuta, G., Markewitz, D., McGuire, M.A., Meek, C., Noormets, A., Samuelson, L., Seiler, J., Strahm, B., Teskey, R., Vogel, J., Ward, E., West, J., Wilson, D. & Martin, T.A. (2015). A range-wide experiment to investigate nutrient and soil moisture interactions in loblolly pine plantations. *Forests*, **6**, 2014–2028.
- Williamson, G.B. & Wiemann, M.C. (2010). Measuring wood specific gravity...correctly. *American Journal of Botany*, **97**, 519–524.
- Wookey, P.A., Robinson, C.H., Parsons, A.N., Welker, J.M., Press, M.C., Callaghan, T. V. & Lee, J.A. (1995). Environmental constraints on the growth, photosynthesis and reproductive development of *Dryas octopetala* at a high Arctic polar semi-desert, Svalbard. *Oecologia*, **102**, 478–489.
- Wullschleger, S.D. & Hanson, P.J. (2006). Sensitivity of canopy transpiration to altered precipitation in an upland oak forest: Evidence from a long-term field manipulation study. *Global Change Biology*, **12**, 97–109.
- Yan, L., Chen, S., Huang, J. & Lin, G. (2011). Increasing water and nitrogen availability enhanced net ecosystem CO<sub>2</sub> assimilation of a temperate semiarid steppe. *Plant and Soil*, **349**, 227–240.
- Yavitt, J.B., Wright, S.J. & Wieder, R.K. (2004). Seasonal drought and dry-season irrigation influence leaf-litter nutrients and soil enzymes in a moist, lowland forest in Panama. *Austral Ecology*, **29**, 177–188.